



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/511,505	10/14/2004	Roger John Watling	62302(70403)	4189
21874	7590	10/15/2008		
EDWARDS ANGELL PALMER & DODGE LLP			EXAMINER	
P.O. BOX 55874			KILPATRICK, BRYAN T	
BOSTON, MA 02205				
		ART UNIT	PAPER NUMBER	
		1797		
		MAIL DATE	DELIVERY MODE	
		10/15/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/511,505

Applicant(s)

WATLING ET AL.

Examiner

BRYAN T. KILPATRICK

Art Unit

1797

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 July 2008.
2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-61 is/are pending in the application.
4a) Of the above claim(s) 1-37 is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 38-61 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on 14 October 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO-8508)
4) ☐ Interview Summary (PTO-413)
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____
Paper No(s)/Mail Date _____

DETAILED ACTION

Response to Amendment

1. The amendment filed July 23, 2008 has been entered and fully considered.
2. The original objections to the Specification are withdrawn in light of the amendments to the Specification.
3. Claims 1-37 are cancelled by Applicant's amendment. Claims 38-61 are newly presented and have replaced the prior set of claims originally filed April 16, 2003.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 38-45, 47-49, 56-58, and 61 are rejected under 35 U.S.C. 102(b) as being anticipated by W.O. 96/03768 (VESTAL et al.).

Instant claims 38 and 39 recite a method of quantifying a plurality of elements in a fluid sample adsorbed/absorbed an inert collection matrix comprised of exposing the sample to high energy radiation capable of ionization, measuring ionized elements in a portion of sample via mass spectrometry, exposing a matrix-matched Certified Reference Material (CRM) to high energy radiation for ionization of at least a portion of the CRM, and measuring and

determining quantities of elements in an ionized sample via mass spectrometry. VESTAL et al. teaches, with respect to claim 1, an analysis - which includes detection, identification, and quantification - of any component that is present in a sample deposited on a support by way of ionization via high energy radiation in the form of laser pulses using mass spectrometry. VESTAL et al. teaches the use of an "appropriate matrix" that is dictated by the sample to be analyzed in the second paragraph of the Background of Invention section, page 1. A standard or CRM is a sample with a known outcome and is still a sample that can be considered to be a part of the plurality of samples to be analyzed by the system claim by VESTAL et al.; in addition, VESTAL et al. also teaches the use of internal standards in paragraph 3 of page 10.

Instant claim 40 recites the same requirements as instant claim 38 and 39 with the addition of the plurality of elements in a fluid sample are supported on an impermeable substrate. VESTAL et al. teaches, on page 7 in the Sample Receiving Surface section, the use of a "plate 12 of stainless steel or other suitable electrically conducting material approximately 1.5 mm thick and 50 mm wide." Although VESTAL et al. does not explicitly state the 1.5 mm thick stainless steel plate is impermeable to Perspex (acrylic glass or Plexiglas™) discussed on page 35, line 25; it is the Examiner's position that a 1.5 mm thick stainless steel or other suitable electrically conducting material is inherently impermeable as compared to the Perspex used in the instant application.

Instant claim 41 recites the CRM is selected from the group consisting of SARM 1, 3, and 46; and SY-2. The examiner takes the position that a standard or CRM is a sample with a known outcome and is still a sample that can be considered to be a part of the plurality of samples to be analyzed by the system claim by VESTAL et al.; in addition, VESTAL et al. also teaches the use of internal standards in paragraph 3 of page 10.

Instant claim 42 recites a method wherein an inert collection matrix is part of a sample collection device comprising the matrix capable of absorbing and adsorbing a fluid sample, and a solid support wherein the matrix is affixed to an area of the support. These requirements are met by the method recited in claim 61 of VESTAL et al.

Instant claim 43 recites that a collection matrix is selected from the group consisting of aragonite, aluminium hydroxide, titania, glucose, Starch "A", Starch "B", glucodin, cellulose powder/granules, fibrous cellulose, hydroxy butyl methyl cellulose, vegetable flour or mixtures thereof. Instant claim 44 recites the vegetable flour of instant claim 43 is selected from a group consisting of rice, maize, wheat, soy, rye, corn flour, or mixtures thereof. Instant claim 45 recites the collection matrix is fibrous cellulose. VESTAL et al. teaches on page 1, lines 20–23 in the Background of the Invention section the use of the “appropriate matrix” for analysis that does not limit the matrix to a particular type, but makes it dependent on the sample being analyzed.

Instant claims 47 and 48 recite the use of pre-calibrated analytes as internal standard. VESTAL et al. also teaches the use of internal standards in paragraph 3 of page 10.

Instant claim 49 recites the solid support has a bar-code with sample information. VESTAL et al. discloses this in line 25 of page 10.

Instant claim 56 recites the high energy radiation is UV laser radiation. Claim 1 of VESTAL et al. recites the use of a laser source for ionization. The examiner takes the position that the laser source is not just limited to UV radiation, but to any type of energy radiation.

Instant claim 57 recites laser radiation is a component of a mass spectrometer. The Abstract and claim 1 of VESTAL et al. disclose the use of laser source in a mass spectrometer.

Instant claim 58 recites the mass spectrometer is either a quadrupole or time-of-flight. VESTAL et al. explicitly discloses this in lines 18-20 of page 1.

Instant claim 61 recites the use of wells or indentations for fluid samples. VESTAL et al. explicitly discloses this in line 11 of page 7.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

8. Claims 46 is rejected under 35 U.S.C. 103(a) as being unpatentable over W.O. 96/03768 (VESTAL et al.) in view of "Structure of a Matrix Based on Polysaccharide Derivatives for the Immobilization of Biologically Active Substances" by BURKHANOVA et al.

Instant claim 46 recites the fibrous cellulose matrix is modified by oxidation and/or acid hydrolysis. VESTAL et al. teaches on page 1, lines 20–23 in the Background of the Invention section the use of the "appropriate matrix" for analysis that does not limit the matrix to a particular type, but makes it dependent on the sample being analyzed. VESTAL et al. does not disclose the modification of the matrix. However, BURKHANOVA et al. discloses on page 488 "we took microcrystalline cellulose (MCC), obtained by acid hydrolysis from cotton cellulose, and U-type amylase" which meets the present limitations for the fibrous cellulose matrix of instant claim 46. It is the Examiner's position the microcrystalline cellulose taught by BURKHANOVA et al. is in a different physical form than the claimed fibrous cellulose, but is chemically the same absent any evidence to the contrary. Furthermore, BURKHANOVA et al. discloses, "Chemical modification of the selected material was performed by specific

oxidation with periodic acid and its salts.” It would have been obvious to one of ordinary skill in the art to use the matrix modification taught by BURKHANOVA et al. to modify the matrix of VESTAL et al. because of the ease of tailoring the cellulose to specific samples in enzymatic analyses, as disclosed on page 491, 5th paragraph of BURKHANOVA et al.

9. Claims 50 and 51 are rejected under 35 U.S.C. 103(a) as being unpatentable over W.O. 96/03768 (VESTAL et al.) in further view of U.S. Patent 5,777,324 (HILLENKAMP).

Instant claim 50 recites a sample collection device having a cover for a matrix. VESTAL et al. discloses the use of a sample support for receiving a sample on its surface in pages 7-9 in the section “Sample Receiving Surface.” VESTAL et al. does not that the plate is multilayered. However, HILLENKAMP discloses the use of a porous or fibrous cover for a matrix in lines 48-64 of column 8 and in Figures 9A-9B. It would have been obvious to one of ordinary skill in the art to use the cover of HILLENKAMP to modify the sample support of VESTAL et al. for the purpose of improved sample containment as explicitly stated in line 50 of column 8.

Instant claim 51 recites the sample collection device has multilayers where the collection matrix layer is sandwiched between two supporting layers with one having an opening exposing the matrix. This limitation is disclosed in lines 48-64 of column 8 and in Figures 9A-9B of HILLENKAMP.

10. Claims 52-55 and 59-60 are rejected under 35 U.S.C. 103(a) as being obvious over W.O. 96/03768 (VESTAL et al.).

Instant claim 52 recites the fluid sample is selected from body fluids, oils, and water. Instant claim 53 recites body fluid is selected from blood, urine, or sweat. VESTAL et al. discloses a claimed invention that analyzes liquid solution samples in page 1, paragraph 3; VESTAL et al. is not limited to any specific type of liquid solution sample. VESTAL et al. does not explicitly disclose that the samples are body fluids, oils, or water.. It would have been obvious to one of ordinary skill in the art at the time the invention was made to use the claimed invention of VESTAL et al. to analyze body fluids, oils, and water. The motivation would have been for conducting biological studies such as the Human Genome Project as discussed on pages 3-4.

Instant claims 54 and 55 recite sizes for samples to be less than about 100 microliters. VESTAL et al. discloses in line 19 of page 7 the use of a few microliters of sample solution that is dictated by the plate used. In addition, line 20 of page 8 discloses the use of 100 nanoliters of sample solution with 1024 sample spot plates as an example. Examiner takes the position that this limitation is dependent of the plate used for analysis.

Instant claim 59 recites the fluid sample is exposed to radiation for a period of from about 10 seconds to about 120 seconds. VESTAL et al. discloses on page 1, paragraph 3 that loading and analyzing a sample can take approximately five minutes. In addition, VESTAL et al. discloses that samples on

a plate receive laser pulses as a function of the laser beam striking a particular sample in paragraph 4 of page 16, which further suggest the pulse time is sample dependent.

Instant claim 60 recites the elements to be detected and/or quantified are selected from dietary trace elements, toxic elements and markers of pollution or wear and tear. VESTAL et al. discloses on page 3, paragraph 1 that the samples analyzed by the claimed invention can vary and are dependent on the needs of the scientist or person operating the instrument.

Response to Arguments

11. Applicant's arguments filed July 23, 2008 have been fully considered but they are not persuasive.

- a. The objections to the Specification are withdrawn in light of Applicant's amendments to the Specification.
- b. The examiner maintains their original grounds of rejection, in addition to the new grounds created in view of the newly created claims, claims 38-61.
- c. Applicant argues that the prior art does not disclose the comparison of a sample with a standard reference material and that its method of analysis is distinguishable and significantly different than determining the quantity and plurality of elements within a sample with reference to a certified reference material as recited by the instant claims. Applicant also argued that the prior art

would not motivate one of skill in the art to arrive at a method of quantifying a plurality of elements within a sample.

The examiner reiterates that a standard or CRM is a sample with a known outcome and is still a sample that can be considered to be a part of the plurality of samples to be analyzed by the system claim by VESTAL et al. In addition, VESTAL et al. also discloses the use of internal standards in paragraph 3 of page 10. The examiner believes that VESTAL et al. provides motivation for one of ordinary skill in the art to arrive at a method of quantifying a plurality of elements within a sample. A specific example would be from its disclosure of DNA sequencing on pages 3-4 and paragraphs 3 and 4 on pages 20-21. In the process of DNA sequencing, the number of bases in a sample is quantified in order to sequence DNA fragments.

12. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRYAN T. KILPATRICK whose telephone number is (571)270-5553. The examiner can normally be reached on Mon - Thurs, 7:00 am - 4:30 pm; Fri, 7:00 am - 11:00 am.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on (571)272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.